

**SAFETY DATA SHEET**

Page : 1



Revised edition no : 1

Date : 27/1/2003

Supersedes : 0/0/0

**RENOVATEUR PLASTIQUE BELGOM****273421**

www.lisam.com

N : Dangerous for  
the environmentF : Highly  
flammable

Xn : Harmful

**1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING**

Liquid.  
 Company identification : See producer.  
 Trade name : RENOVATEUR PLASTIQUE BELGOM  
 Use : Domestic.

**2. HAZARDS IDENTIFICATION**

Risk Phrases : Harmful : may cause lung damage if swallowed. Vapours may cause drowsiness and dizziness. Repeated exposure may cause skin dryness or cracking.  
 Dangerous product : Highly flammable.  
 Environmental hazard : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
 Symptoms relating to use  
 - Inhalation : Vapours may cause drowsiness and dizziness.  
 - Skin contact : Repeated or prolonged skin contact may cause irritation.  
 - Eye contact : Redness.  
 - Ingestion : Swallowing a small quantity of this material presents some health hazard. Must not come into contact with food or be consumed.

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

Substance name	Contents	CAS No / EC No / Index No	Symbol(s)	R-Phrase(s)
<u>Hexane, mixture of isomers (containing &lt; 5 % n-hexane (203-777-6))</u>	: < 80 %	----- / ----- / 601-007-00-7	F Xn N	11-38-51/53-65-67
<u>Solvant naphta aromatique léger</u>	: < 10 %	64742-95-6 / 265-199-0 / 649-356-00-4	Xn N	10-37-51/53-65-66-67

**4. FIRST AID MEASURES**

First aid measures  
 - Inhalation : Assure fresh air breathing.  
 - Skin contact : Rinse immediately with plenty of water.  
 - Eye contact : Rinse immediately with plenty of water.  
 - Ingestion : Rinse mouth. Do not induce vomiting. Seek medical advice (show the label where possible).

**SAFETY DATA SHEET**

Page : 2

Revised edition no : 1

Date : 27/1/2003

Supersedes : 0/0/0

**RENOVATEUR PLASTIQUE BELGOM****273421**

www.lisam.com

**5. FIRE-FIGHTING MEASURES**

Flammable class	: Highly flammable.
Prevention	: No naked lights. No smoking.
Extinguishing media	: Water fog. Foam. Carbon dioxide. AFFF.
Specific hazards	: Heavier than air, vapours may travel long distances along ground, ignite and flash back to source.
Protection against fire	: All fire-fighting personnel must wear safety suits. Use self-contained breathing apparatus when in close proximity to fire.
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

**6. ACCIDENTAL RELEASE MEASURES**

Personal precautions	: Equip cleanup crew with proper protection.
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.
Clean up methods	: Use suitable disposal containers. Clean up any spills as soon as possible, using an absorbent material to collect it.

**7. HANDLING AND STORAGE**

General	: No naked lights. No smoking.
Technical protective measures	: Provide proper grounding.
Storage	: Keep in fireproof place. Store in tightly closed, properly ventilated containers away from heat, sparks, open flame.
Handling	: Industrial. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

Personal protection	
- Respiratory protection	: Where excessive vapour may result, wear approved mask.
- Hand protection	: In case of repeated or prolonged contact wear gloves.
- Skin protection	: No special clothing/skin protection equipment is recommended under normal conditions of use.
- Eye protection	: Eye protection should only be necessary where liquid could be splashed or sprayed.
- Ingestion	: When using, do not eat, drink or smoke.
Industrial hygiene	: Provide adequate ventilation to minimize dust and/or vapour concentrations.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state at 20 °C	: Volatile liquid.
Colour	: Colourless to light yellow.
Odour	: Pleasant.
Density	: 0.710 ± 0.010
Solubility in water	: Insoluble.
Flash point [°C]	: <0

**10. STABILITY AND REACTIVITY**

Hazardous decomposition products	: None under normal conditions.
Hazardous reactions	: None under normal conditions.
Hazardous properties	: May form flammable/explosive vapour-air mixture. Heavier than air, vapours may travel long distances along ground, ignite and flash back to source.

**SAFETY DATA SHEET**

Page : 3

Revised edition no : 1

Date : 27/11/2003

Supersedes : 0/0/0

**RENOVATEUR PLASTIQUE BELGOM****273421**

www.lisam.com

**11. TOXICOLOGICAL INFORMATION**

Rat oral LD50 [mg/kg] : No data available.

**12. ECOLOGICAL INFORMATION**

LC50-96 Hour - fish [mg/l] : No data available.

**13. DISPOSAL CONSIDERATIONS**

General : Avoid release to the environment. Dispose of this material and its container at hazardous or special waste collection point. Dispose in a safe manner in accordance with local/national regulations.

**14. TRANSPORT INFORMATION**

Shipping name : 1993 LIQUIDE INFLAMMABLE, N.S.A., 3, II, ADR  
 UN No. : 1993  
 H.I. nr : 33  
 ADR/RID : Group : II  
 Class : 3

**15. REGULATORY INFORMATION**

Symbol(s) : Xn : Harmful Contient Hexane, mélange d'isomères (contenant < 5% n-Hexane).  
 F : Highly flammable  
 N : Dangerous for the environment

R Phrase(s) : R11 : Highly flammable.  
 R38 : Irritating to skin.  
 R51/53 : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
 R65 : Harmful : may cause lung damage if swallowed.  
 R67 : Vapours may cause drowsiness and dizziness.

S Phrase(s) : S2 : Keep out of the reach of children.  
 S43 : In case of fire, use . Brouillard d'eau, mousse, dioxyde de carbone, AFFF.  
 S46 : If swallowed seek medical advice immediately and show this container or label.

**16. OTHER INFORMATION**

Further information : None.

The contents and format of this SDS are in accordance with EEC Commission Directive 2001/58EC.

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

**End of document**